

Part Number: 10015

## 1. PRODUCT AND COMPANY IDENTIFICATION

- 1.1 Product Name:** Acetone-Xylene 1:1  
**Part Number:** 10015  
**CAS-No.:** Not applicable  
**SDS Number:** 2080
- 1.2 Recommended Use:** Laboratory Chemicals
- 1.3 Company:** Newcomer Supply  
 2505 Parview Road  
 Middleton, WI 53562 USA
- Telephone:** 1-800-383-7799  
**Fax:** 1-608-831-0866  
**Website:** [www.newcomersupply.com](http://www.newcomersupply.com)  
**Email:** [newly@newcomersupply.com](mailto:newly@newcomersupply.com)

24 HOUR EMERGENCY CONTACT  
 CALL CHEMTREC: 1-800-424-9300  
 Contact CHEMTREC only in the event of an emergency involving a chemical spill, leak, fire, exposure or other accident.

## 2. HAZARD(S) IDENTIFICATION

- 2.1 Classification of the substance or mixture**  
**GHS Classification**, (in accordance with 29 CFR1910.1200)  
 Flammable liquid, Category 2  
 Serious Eye Damage/Eye irritation, Category 2A  
 Specific Target Organ Toxicity – Single exposure, Category 3  
 Acute toxicity (dermal), Category 4  
 Acute toxicity (inhalation), Category 4

**2.2 GHS Label elements**

**Signal Word** DANGER

**Pictogram**



**Hazard Statement(s):**

- Highly flammable liquid and vapour
- Causes serious eye irritation
- May cause respiratory irritation
- May cause drowsiness or dizziness
- Harmful in contact with skin
- Harmful if inhaled

**Precautionary Statement(s):**

**Prevention:**

- Keep away from heat/sparks/open flames/hot surfaces – No smoking.
- Keep container tightly closed.
- Ground/bond container and receiving equipment.
- Use explosion-proof fume hood/electrical/ventilating/light equipment.
- Use only non-sparking tools.
- Take precautionary measures against static discharge.
- Wear protective gloves/protective clothing/eye protection/face protection.
- Wash skin thoroughly after handling.
- Avoid breathing dust/fume/gas/mist/vapours/spray.
- Use only outdoors or in a well-ventilated area.

**Response:**

- In case of fire use carbon dioxide, dry chemical or alcohol-resistant foam.
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

Part Number: 10015

- Wash contaminated clothing before reuse.
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing.
- Specific treatment: see first aid measures in section 4.
- Call a POISON CENTER or doctor/physician if you feel unwell.

**Storage:**

- Store in a well ventilated place. Keep cool.
- Keep container tightly closed.
- Store locked up.

**Disposal:**

- Dispose of contents/ container to an approved waste disposal plant.

**2.3 Description of any hazards not otherwise classified**      None

**2.4 >1% of mixture with unknown acute toxicity**      None

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

**3.2 Mixture  
Hazardous Components**

Component		Concentration
Name	Acetone	
CAS-No.	67-64-1	50%
Name	Xylenes	
CAS-No.	1330-20-7	50%

### 4. FIRST-AID MEASURES

**4.1 Description of necessary measures**

**Inhalation (breathing)**

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

**Skin Contact**

IF ON SKIN: Gently wash with plenty of soap and water. Remove/Take off immediately all contaminated clothing. Call a POISON CENTER or doctor/physician if you feel unwell.

**Eye Contact**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. If eye irritation persists get medical advice/attention. Call a POISON CENTER or doctor/physician if you feel unwell.

**Ingestion (swallowed)**

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Call a POISON CENTER or doctor/physician if you feel unwell.

**4.2 Most important symptoms and or effects, acute and delayed**

The most important symptoms/effects are presented in Section 2 and or Section 11.

**4.3 Indication of any immediate medical attention and special treatment needed**

No data available

### 5. FIRE-FIGHTING MEASURES

**5.1 Suitable extinguishing media**

Carbon dioxide, dry chemical, water spray, alcohol-resistant foam.

**5.2 Specific hazards arising from the substance or mixture**

No data available

Part Number: 10015

**5.3 Protective equipment and precautions for fire-fighters**

Wear a positive-pressure self-contained breathing apparatus if necessary. Wear chemical resistant clothing as recommended by clothing manufacturer.

**NFPA Rating**

Health	Fire	Reactivity
hazard: 2	hazard: 3	hazard: 0

**6. ACCIDENTAL RELEASE MEASURES**
**6.1 Personal precautions, protective equipment and emergency procedures**

Apply personal protective equipment (see Section 8). Use in a properly ventilated area. Avoid breathing vapors. Avoid skin contact. Avoid eye contact. Wash hands after use. In case of large spill, remove personnel to a safe area. Keep product away from heat, flame, ignition sources, and reactive materials. Avoid accumulation of vapor to form explosive concentration. Pay particular attention to low areas where vapor accumulates more easily.

**6.2 Methods and material for containment and cleaning up**

Apply personal protective equipment (see Section 8). Contain spill. Prevent further leakage if possible and safe to do so. Ensure proper ventilation. For small amounts, wipe or absorb spill using inert material and dispose of according to local regulations. For large amounts, evacuate area and limit access. Prevent entry of material into sewage drains and confined areas. Dispose of any contaminated materials according to local regulations. Eliminate sources of ignition.

**7. HANDLING AND STORAGE**
**7.1 Precautions for safe handling**

Do not breathe dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing.

**7.2 Conditions for safe storage, including any incompatibilities**

Refer to Section 2.2 for proper storage temperature. Store the tightly closed container in a cool, dry, well-ventilated area.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**
**8.1 Control Parameters**

Components with limit values that require monitoring at the workplace

Component	CAS-No.	Regulatory	Value	Parameters
Acetone	67-64-1	OSHA PEL	TWA	1,000 ppm (2,400 mg/m <sup>3</sup> )
		ACGIH TLV	TWA	750 ppm (1,780 mg/m <sup>3</sup> )
		ACGIH TLV	STEL	1,000 ppm (2,380 mg/m <sup>3</sup> )
		NIOSH REL	TWA	250 ppm (590 mg/m <sup>3</sup> )

Component	CAS-No.	Regulatory	Value	Parameters
Xylenes	1330-20-7	OSHA PEL	TWA	100 ppm (435 mg/m <sup>3</sup> )
		ACGIH TLV	TWA	100 ppm (434 mg/m <sup>3</sup> )
		ACGIH TLV	STEL	150 ppm (651 mg/m <sup>3</sup> )
		NIOSH REL	TWA	100 ppm (435 mg/m <sup>3</sup> )
		NIOSH REL	STEL	150 ppm (655 mg/m <sup>3</sup> )

**8.2 Exposure Controls**
**Appropriate engineering controls**

Use in a properly ventilated area. Remove/wash before reuse contaminated clothing. Wash hands upon exiting work premises. Use product in an appropriately designated fume hood. Take measures to keep concentrations below acceptable limits.

Part Number: 10015

**8.3 Personal Protective Equipment**
**Eye/Face protection**

Wear chemical safety goggles and/or a full face shield if splashing is possible. Keep eye wash fountain nearby.

**Skin Protection**

Wear chemical-resistant gloves. Gloves should be resistant to components of product. Refer to glove manufacturer for appropriate type and glove thickness.

**Body Protection**

No data available

**Respiratory Protection**

Respirators should only be used if the employer has implemented a written program that takes into account workplace conditions, requirements for worker training, respirator fit testing, and medical exams, as described in the OSHA Respiratory Protection Standard (29 CFR 1910.134).

In case of emergency, entry into or escape from unknown concentrations, select the highest level approved respiratory protection available.

**Other Information**

None

**9. PHYSICAL AND CHEMICAL PROPERTIES**
**9.1 Information on basic physical and chemical properties**

Physical state	Colorless liquid
Odor	No data available
Odor threshold	No data available
pH	No data available
Melting point/freezing point	No data available
Initial boiling point and boiling range	No data available
Flash point	No data available
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Upper flammability or explosive limits	No data available
Lower flammability or explosive limits	No data available
Vapor pressure	No data available
Vapor density	No data available
Relative density	No data available
Solubility(ies)	Not soluble with water
Partition coefficient: n-octanol/water	No data available
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Viscosity	No data available

**10. STABILITY AND REACTIVITY**
**10.1 Reactivity**

No data available

**10.2 Chemical stability**

Stable in a closed container within label-specified storage temperature and expiration date.

**10.3 Possibility of hazardous reactions**

No data available

**10.4 Conditions to avoid**

Heat, sparks, open flame, and ignition sources.

Part Number: 10015

**10.5 Incompatible materials**

Strong oxidizing materials, strong acids and bases, acetic acid, nitric acid, and most common metals.

**10.6 Hazardous decomposition products**

No data available

**11. TOXICOLOGICAL INFORMATION**
**11.1 Information on toxicological effects**
**Inhalation exposure**

Headache, lightheadedness, nasal irritation were noted in workers exposed to concentrations considerably in excess of 1,000 ppm and perhaps as high as 6,500 ppm. Exposure to high concentrations can cause headache, nausea and vomiting, dizziness, lightheadedness and even passing out.

**Oral exposure**

No data available

**Dermal exposure**

No data available

**Skin corrosion/irritation**

Acetone can cause skin irritation. Prolonged or repeated exposure can cause drying and cracking of the skin with redness.

**Serious eye damage/irritation**

Acetone has been reported to cause burning sensation in the eyes at vapor concentration of 500 ppm. Reports of irritation in acclimated workers include a range of 1000-1500 ppm.

**Respiratory or skin sensitization**

Exposure to acetone can irritate the nose.

**Germ cell mutagenicity**

No data available

**Reproductive toxicity**

No data available

**Specific target organ toxicity - single exposure**

Acetone may affect the kidneys and liver.

**Specific target organ toxicity - repeated exposure**

No data available

**Aspiration hazard**

No data available

**Acute toxicity**

Acetone:

LD50 rat oral 5800 mg/kg

LD50 rabbit oral 5340 mg/kg

LD50 mouse oral 3000 mg/kg

LCLo mouse inhalation 45,455 ppm/1H

Xylenes:

LD50 rat oral 5000 mg/kg

**Carcinogenicity**

IARC: None of the components are listed

Part Number: 10015

NTP: None of the components are listed  
OSHA: None of the components are listed

**Additional information**

RTECS: No data available

**12. ECOLOGICAL INFORMATION****12.1 Ecotoxicity**

No data available

**12.2 Persistence and degradability**

No data available

**12.3 Bioaccumulative potential**

No data available

**12.4 Mobility in soil**

No data available

**12.5 Other adverse effects**

No data available

**13. DISPOSAL CONSIDERATIONS****13.1 Waste disposal methods****Contents**

Dispose of contents in a safe manner to comply with local, state and federal regulations. Contact a licensed professional waste disposal service to dispose of this material.

**Contaminated packaging**

Dispose of packaging in a safe manner to comply with local, state and federal regulations. Contact a licensed professional waste disposal service to dispose of this material.

**14. TRANSPORT INFORMATION****14.1 DOT (US)**

<b>UN-Number</b>	1993
<b>Proper shipping name</b>	Flammable liquids, n.o.s. (Acetone-xylene mixture)
<b>Hazard class</b>	3
<b>Packing group</b>	II
<b>Environmental hazards</b>	No data available

**15. REGULATORY INFORMATION****15.1** No data available**16. OTHER INFORMATION**

Preparation Information

Newcomer Supply Inc.

800-383-7799

[www.newcomersupply.com](http://www.newcomersupply.com)

Copyright © Newcomer Supply Inc. All rights reserved.