

1. Identification

Product Name	PureAffin® x
Cat No. :	EEPAR3
Synonyms	No information available.
Recommended Use	Laboratory chemicals
Uses advised against	No Information available

Details of the supplier of the safety data sheet

Company	Emergency Telephone Number
Cancer Diagnostics, Inc. 4300 Emperor Blvd. #400 Durham, NC 27703 1-877-846-5393	Chemtrec US: (800) 424-9300 Chemtrec EU: 001 (202) 483-7616

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Specific target organ toxicity (single exposure) Target Organs - Respiratory system.	Category 3
Specific target organ toxicity - (repeated exposure) Target Organs - Kidney.	Category 2

Label Elements

Signal Word

Warning

Hazard Statements

May cause respiratory irritation

May cause damage to organs through prolonged or repeated exposure



Precautionary Statements

Prevention

Do not breathe dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Response

Get medical attention/advice if you feel unwell

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician if you feel unwell

Storage

Store in a well-ventilated place. Keep container tightly closed

Store locked up

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Toxic to aquatic life with long lasting effects

3. Composition / information on ingredients

Haz/Non-haz

Component	CAS-No	Weight %
Paraffin waxes and Hydrocarbon waxes	8002-74-2	75-80
2,6-Di-tert-butyl-p-cresol	128-37-0	10-12
Polyisobutylene	9003-27-4	1-2
Benzene, ethenylmethyl-, polymer with (1-methylethenyl)benzene	9017-27-0	3-5
Microcrystalline wax	63231-60-7	3-5

4. First-aid measures

Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes
Inhalation	Move to fresh air
Ingestion	Do not induce vomiting
Most important symptoms/effects	No information available
Notes to Physician	Treat symptomatically.

5. Fire-fighting measures

Suitable Extinguishing Media	Water spray. Carbon dioxide (CO ₂). Water.
Unsuitable Extinguishing Media	No information available.
Flash Point	204.4°C / 399.9°F
Method -	No information available.
Autoignition Temperature	No information available.
Explosion Limits	
Upper	No data available

EEPAR3

Lower No data available
Sensitivity to mechanical impact No information available.
Sensitivity to static discharge No information available.

Specific Hazards Arising from the Chemical

Keep product and empty container away from heat and sources of ignition

Hazardous Combustion Products None known

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

NFPA

Health 2 *	Flammability 1	Instability 0	Physical hazards N/A
----------------------	--------------------------	-------------------------	--------------------------------

6. Accidental release measures

Personal Precautions Ensure adequate ventilation
Environmental Precautions See Section 12 for additional ecological information. Avoid release to the environment. Collect spillage.
Methods for Containment and Clean Up Avoid dust formation. Sweep up or vacuum up spillage and collect in suitable container for disposal.

7. Handling and storage

Handling Ensure adequate ventilation
Storage Keep containers tightly closed in a dry, cool and well-ventilated place

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH
Paraffin waxes and Hydrocarbon waxes	TWA: 2 mg/m ³	(Vacated) TWA: 2 mg/m ³	TWA: 2 mg/m ³
2,6-Di-tert-butyl-p-cresol	TWA: 2 mg/m ³	(Vacated) TWA: 10 mg/m ³	TWA: 10 mg/m ³

Component	Quebec	Mexico OEL (TWA)	Ontario TWAEV
Paraffin waxes and Hydrocarbon waxes	TWA: 2 mg/m ³	TWA: 2 mg/m ³ STEL: 6 mg/m ³	TWA: 2 mg/m ³
2,6-Di-tert-butyl-p-cresol	STEL: 10 mg/m ³	TWA: 10 mg/m ³ STEL: 20 mg/m ³	TWA: 2 mg/m ³

Legend

ACGIH - American Conference of Industrial Hygiene
OSHA - Occupational Safety and Health Administration
NIOSH IDLH: Immediately Dangerous to Life or Health

Engineering Measures Ensure adequate ventilation, especially in confined areas

Personal Protective Equipment

Eye/face Protection Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166

EEPAR3

Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice

9. Physical and chemical properties

Physical State	Solid
Appearance	White
Odor	slight
Odor Threshold	No information available.
pH	No information available.
Melting Point/Range	No data available
Boiling Point/Range	315.5°C / 599.9°F Flash
Point	204.4°C / 399.9°F
Evaporation Rate	No information available.
Flammability (solid,gas)	No information available.
Flammability or explosive limits	
Upper	No data available
Lower	No data available
Vapor Pressure	No information available.
Vapor Density	No information available.
Relative Density	No information available.
Solubility	No information available.
Partition coefficient; n-octanol/water	No data available
Autoignition Temperature	No information available.
Decomposition temperature	No information available.
Viscosity	No information available.

10. Stability and reactivity

Reactive Hazard	None known, based on information available.
Stability	Stable under normal conditions.
Conditions to Avoid	Incompatible products
Incompatible Materials	Strong oxidizing agents
Hazardous Decomposition Products	None under normal use conditions
Hazardous Polymerization	Hazardous polymerization does not occur
Hazardous Reactions	None under normal processing

11. Toxicological information

Acute Toxicity

Oral LD50	Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg.
Dermal LD50	Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg.
Mist LC50	Based on ATE data, the classification criteria are not met. ATE > 5 mg/l.

Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation

EEPAR3

Paraffin waxes and Hydrocarbon waxes	3750 mg/kg (Rat)	3600 mg/kg (Rabbit)	Not listed
2,6-Di-tert-butyl-p-cresol	890 mg/kg (Rat) >2000 mg/kg (Rat)	Not listed	Not listed
Microcrystalline wax	10000 mg/kg (Rat)	3600 mg/kg (Rabbit)	Not listed

Toxicologically Synergistic Products No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation No information available.

Sensitization No information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Paraffin waxes and Hydrocarbon waxes	8002-74-2	Not listed	Not listed	Not listed	Not listed	Not listed
2,6-Di-tert-butyl-p-cresol	128-37-0	Not listed	Not listed	Not listed	Not listed	Not listed
Polyisobutylene	9003-27-4	Not listed	Not listed	Not listed	Not listed	Not listed
Benzene, ethenylmethyl-, polymer with (1-methylethenyl)benzene	9017-27-0	Not listed	Not listed	Not listed	Not listed	Not listed
Microcrystalline wax	63231-60-7	Not listed	Not listed	Not listed	Not listed	Not listed

Mutagenic Effects No information available.

Reproductive Effects No information available.

Developmental Effects No information available.

Teratogenicity No information available.

STOT - single exposure Respiratory system.

STOT - repeated exposure Kidney.

Aspiration hazard No information available.

Symptoms / effects, both acute and delayed No information available.

Endocrine Disruptor Information No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
2,6-Di-tert-butyl-p-cresol	EC50 = 0.758 mg/L 96h EC50 = 6 mg/L 72 h	LC50 = 0.199 mg/L 96h	EC50 = 7.82 mg/L 5 min EC50 = 8.57 mg/L 15 min EC50 = 8.98 mg/L 30 min	EC50 >0.31 mg/L 48h

Persistence and Degradability No information available.

EEPAR3

Bioaccumulation/ Accumulation No information available

Mobility .

Component	log Pow
2,6-Di-tert-butyl-p-cresol	4.17
Microcrystalline wax	6.006

13. Disposal considerations

Waste Disposal Methods Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification

14. Transport information

DOT Not regulated

TDG Not regulated

IATA Not regulated

IMDG/IMO Not regulated

15. Regulatory information

International Inventories

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	CHINA	KECL
Paraffin waxes and Hydrocarbon waxes	X	X	-	232-315-6	-		X	X	X	X	X
2,6-Di-tert-butyl-p-cresol	X	X	-	204-881-4	-		X	X	X	X	X
Polyisobutylene	XU	X	-	-	-		X	X	X	X	X
Benzene, ethenylmethyl-, polymer with (1-methylethenyl)benzene	XU	X	-	-	-		-	-	X	X	X
Microcrystalline wax	X	X	-	264-038-1	-		X	X	X	X	X

Legend:

X - Listed

E - Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.

F - Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.

N - Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.

P - Indicates a commenced PMN substance

R - Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.

S - Indicates a substance that is identified in a proposed or final Significant New Use Rule

T - Indicates a substance that is the subject of a Section 4 test rule under TSCA.

XU - Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B)).

Y1 - Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.

Y2 - Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

U.S. Federal Regulations

TSCA 12(b) Not applicable

SARA 313 Not applicable

EEPAR3
SARA 311/312 Hazardous Categorization

Acute Health Hazard	No
Chronic Health Hazard	Yes
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Water Act Not applicable

Clean Air Act Not applicable

OSHA - Occupational Safety and Health Administration

CERCLA

Not Applicable

California Proposition 65 This product does not contain any Proposition 65 chemicals.

State Right-to-Know

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Paraffin waxes and Hydrocarbon waxes	X	X	X	-	X
2,6-Di-tert-butyl-p-cresol	X	X	X	-	X

U.S. Department of Transportation

Reportable Quantity (RQ):	N
DOT Marine Pollutant	N
DOT Severe Marine Pollutant	N

U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade Slight risk, Grade 1

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

WHMIS Hazard Class D2B Toxic materials


16. Other information

Prepared By Compliance Department
 Cancer Diagnostics, Inc.
compliance@cancerdiagnostics.com

Creation Date 08-May-2013
Revision Date 04-18-2017

EEPAR3**Revision Summary**

This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of SDS